

Delet, J.P. Belt. 176(c) 18.
20/2/64

St. vs. Mandela & Qas.

Naw Dyk.

Wayss.

Fingela.

Court adjourns
15 min

RXD: You say 18 yrs...
261. Anything happened?
Like this before...
N.Fg.

N.Fg.

Court. How African - not
National - - -

10th April - - -
trouble - P.A.C. 8.4
Ask on duty?

24. Tell me - ascertain...
18 years in force?

↑
XXD: Bumping.
Court. Bottle not broken?

Talk: Rec.

St. vs. Mandela & 9000.

20/2/64.

Gulas & on.

Berrange & on.

Gulas
SA XD.

N. Dyk.

N. Dyk.

4.
↓

Sledge hammer

Trail - Railway line

New 82

Pieces of metal

CH(1) - transformers

Explosives used there

CH(2) - damage

N.f.g.

CH(3) - remains

Witness stands down

Fire around place

for X.D.

Const.

3rd photo - inside

SA XD.
H.

Hendrik Johannes

building?

Beyers bo.

SA XD.

Tell what you found?

↓ Sp. / Adj. Off - Jhb.

Fire

Item #6 169 - sabotage

7: Several drums there

Telephone cables

Charge of dynamite outp.

1-3-63 - 2 stukke hout

↓

Go to 104 - Railway

B's. Dynamit springpatrone

bridge

Const. Mr. Combragen?

One leg broken

SA XD. Wat jy toe gesien?

10: 2 lengths safety fuse

107 - Bensoni - farm

No X.D.

28th Nov in morning

CJ(1) - photo applied over

Gulas

Leonard

CJ(2) - holes

SA XD.
20.

Tsimela ss.

two - crates

Banteu Const. - Oskende

Const.

Any remains of explosives?

18 yrs. service

No - electric wire

Diebe location

Concrete shattered

↓ House of yours

SA XD.

13: Wide area - concrete

Cement

↓

124 - New building

22: When you left house?

Stumphe spoke

Bottle - says - smell of

Shower safety fuse

petrol - dining room.

135 - Oskende - 8-1-63

family at home

Broken rail

N.f.g.

Over